

# Euro Twin Pole Lite


Cat. No. ETPL

Cat. No. ETPL/R



The Euro Twin Pole Lite is for situations where the luminaire needs to be discreet, the smaller sized MR11 lamp is utilised to achieve this. Each spotlight can be aimed in any direction. This luminaire has a fully adjustable arm allowing 360 degree rotation and 0 - 90° elevation with a built in glare guard.

The Retro™, which is a mains option, avoids the need to bury a transformer. The 240/12 volt electronic transformer is built into the pole and is a double insulated safety isolating transformer, this changes the luminaire to an IP 56 rating.



## Ordering Information

### Luminaire Type

ETPL - Euro Twin Pole Lite

### Material

Cop - Copper  
SS - 316 Stainless Steel

### Accessories

CJK150 - CJK150 Cable Joint Kit  
EFL - Frost Lens  
SSP/G - Hunza® Super Spike  
/R - Retro™ Transformer  
240/12 volt

Ordering Example:

ETPL COP - Euro Twin Pole Lite in Copper

ETPL/R SS - Euro Twin Pole Lite Retro™  
in 316 Stainless Steel

SSP/G - Hunza® Super Spike  
(Accessories ordered separately)



FACTORY: Ph: 64-9-528 9471 Fax: 64-9-528 9361.

USA: Ph. 310 560 7310 Fax. 1 877 692 4589.

hunza@hunza.co.nz www.hunza.co.nz

Specifications may change without notice.

130 Felton Matthew Ave, Glen Innes, Auckland, New Zealand.

3237 Long Island St, W. Sacramento, California 95691, USA.

Manufactured in New Zealand.

© 2003 Hunza Holdings Ltd

## Luminaire Construction

CNC machined from one of the following metals:

Copper:

Body 45.4mm rod.

Pole 25.4mm (1") x 850mm (33½") tube.

316 Stainless Steel:

Body 45.4mm rod.

Pole 25.4mm (1") x 850mm (33½") tube.

Retro™:

Pole - 25.4mm (1") x 410mm (16") tube.

Transformer Pole 63.5mm (2½") x 440mm (17½").

## Mounting

Pole 800mm (31½") directly mounted into the earth or for extra stability in sand of loose ground use a Hunza® Super Spike. Retro™ set in concrete.

## Features

### Lens:

3mm (1/8") clear tempered shatter resistant glass.

Life Time Warranty.

### Gaskets:

Silicone, iron impregnated 220°C (428°F).

### Lamp Holders:

GU4 - 350°C (662°F) ceramic multi contact lamp holders with 250°C (480°F) teflon cables.

### Accessories:

Cable Joint Kit (Cat. CJK150). Not approved for USA /Canada.

Frosted Lens (Cat. EFL).

Hunza Super Spike, not Retro option (Cat. SSP/G).

Retro™ transformer 240/12 volt (Cat. /R) IP56.

### Swivels:

Copper fixtures 360° rotation and 0 - 90° elevation, solid brass with anti rust spring.

Stainless Steel fixtures 360° rotation and 0 - 90° elevation, full stainless steel construction.

## Standards

### IP56 / IP66

### USA and Canada:

Not approved.

### Luminaire Weight

#### 12 volt

Cop 1.920kg (4lb 3oz)

SS 1.660kg (3lb 10oz)

#### Retro™

Cop 3.100kg (6lb 13oz)

SS 2.880kg (6lb 5oz)

### Power Supply



HUNZA® Inground or Wall Mount Transformer: not included.

### RETRO™ IP56

HUNZA® 240/12 volt ac silicone encapsulated electronic transformer is built into the pole. Dimmable with a suitable leading edge dimmer.

### Lamp Type

MR11 GU4 2 x 20 watt lamps max.



FACTORY: Ph: 64-9-528 9471 Fax: 64-9-528 9361.

USA: Ph. 310 560 7310 Fax. 1 877 692 4589.

hunza@hunza.co.nz www.hunza.co.nz

Specifications may change without notice.

130 Felton Matthew Ave, Glen Innes, Auckland, New Zealand.

3237 Long Island St, W. Sacramento, California 95691, USA.

Manufactured in New Zealand.

© 2003 Hunza Holdings Ltd